

TIRES
ULTRA FORCE
OFFROAD
FORGE A NEW PATH



TIRES
ULTRA FORCE
OFFROAD

FORGE A NEW PATH

TERRA TAMIER AT-X

ULTRAFORCE OFFROAD TIRES CO., LIMITED

Qingdao Branch, China
jazz@ultraforcetires.com

www.ultraforcetires.com    

ULTRAFORCE OFFROAD TIRES CO., LIMITED

TIRES
ULTRA FORCE

O F F R O A D

FORGE A NEW PATH



ULTRA FORCE
TIRES
OFFROAD

FORGE A NEW PATH

ABOUT US

ULTRAFORCE OFFROAD TIRES CO., LIMITED

WHO WE ARE

UltraForce Tires is a professional designer and manufacturer of off-road tires and passenger tires with decades of experience in product development and global export. Rooted in excellence, UltraForce Tires is dedicated to providing every consumer and enthusiast with tires that excel in performance, durability and superior traction. Our goal is to deliver an outstanding driving experience for 'U'(you mean a lot to us), creating tires that excel in various road conditions, not only meet your daily driving performance needs but also stand as the ultimate companions for your off-road adventures.

JOIN THE JOURNEY

Whether you're a driver seeking exceptional performance or a business looking for a reliable tires supplier partner, UltraForce Tires welcomes you to join us on the journey of excellence. You can discover the difference of superior craftsmanship and innovation on the road.

PRODUCT POSITIONING AND FEATURERS

OFF-ROAD TIRES

Based on the rich experience in off-road tires development and market expertise of the company, the leadership decided to position the new brand with off-road tires as a distinctive feature of the company's development. This aligns with the company's inherent strengths. And the company aims to assist and support company customers with the off-road tire products as their new business breakthrough and growth point to offer off-road enthusiasts with a diverse range of off-road tires designed to meet their demands of various terrains and weather, from sand, gravel, rocky trails to muddy paths, from rain to snow.

PASSENGER TIRES

At the same time, the company also designed a brand new set of passenger tires with stylish and excellent performance which combined with company's mature and advanced design concept to bring a comfortable and excellent driving experience for every consumer.

OUR TEAM

Our team comprises industry experts and off-road enthusiasts who are passionately committed to crafting the best-value off-road and passenger tires in the market.

"LET'S FORGE A NEW PATH TOGETHER."

OUR VALUES

OUR COMMITMENT TO QUALITY

The heart of UltraForce Tires is an unwavering commitment to quality. We carry out the strict quality control, from tire tread and sidewall design, the structure design, the formulation matching, to tire testing and every step of the production process, ensuring that our tires roll beyond expectations.

INNOVATION THAT DRIVES

Innovation is the engine that powers UltraForce Tires. Our team works tirelessly with a passion and relentless pursuit of excellence. We believe that sets us apart. Every UltraForce tire is a testament to our dedication to staying ahead of the curve.

PERFORMANCE WITHOUT COMPROMISE

Performance is not only a goal, but a standard at UltraForce Tires. Whether you're navigating city streets, conquering off-road terrain, or cruising on the highway, our tires are engineered to deliver superior performance without compromise. Expect a smooth ride, precise handling, and unmatched stability with UltraForce tires.

CUSTOMER-CENTRIC APPROACH

Our customers are at the heart of everything we do. We listen, understand, and respond to their evolving needs, providing them with tires that exceed expectations. Our consistent commitment is to acknowledge and address any inquiry raised by our customers. We consider it as our top primary mission to provide prompt, objective responses, and solutions at the earliest opportunity.

ULTRA FORCE
TIRES
OFF ROAD
FORGE A NEW PATH

ULTRAFORCE

TERRA TAMER AT-X

A NEW TREND OF ALL-TERRAIN

TERRA TAMER AT-X

ON- AND OFF-ROAD EXTREME ALL-TERRAIN TIRE HYBRID X TERRAIN

Crafted with precision and innovation, the Terra Tamer AT-X is an extreme all terrain tire with a perfect fusion of performance, traction, durability and versatility. It's designed more aggressive and more traction that combines the rugged durability for off-road with the quiet and smooth ride for on-road. You can feel confidence and peace of mind when driving in any terrain or weather no matter gravel, dirt, mud, rain or snow. It can surely take you to explore more than the traditional all-terrain tire options. It's a more powerful all-around fighter.



Three-Peak Mountain Snowflake qualified for snow conditions



VERY STYLISH AND AGGRESSIVE LOOK

- The more robust tread and more aggressive sidewall give it a tough and adventurous sense. Your truck or SUV will look like a bold fully armed mechanical armor.

MORE STABLE HANDLING AND LONG TREAD LIFE

- More squared larger shoulders and tread blocks along with a wider and flatter contact area provide the tire with enhanced stability for confident handling, quicker braking and acceleration, as well as even tread wear and longer tread life.

ENHANCED OFF-ROAD DURABILITY

- Thickened aggressive sidewall design with stylish looks for more protection from impacts and punctures.
- Durable sidewall construction with multiple sidewall plies and reinforced materials.

MAXIMUM TRACTION

- The aggressive tread design with a strong focus on traction performance with its optimized layout provides maximum traction to ensure superior grip in any conditions whether rain or snow.
- Staggered shoulder lugs provides enhanced biting edges and off-road traction.

DISTINCTIVE STONE EJECTORS

- Distinctive stepped stone ejectors and the shoulder stone ejectors provide more stronger prevention of stone retention.

GOOD WINTER PERFORMANCE

- 3PMSF rated and advanced compound support better traction and driving even in freezing conditions.
- Special block design and shoulder angles grooves increases winter traction and great support.

SIZE	LOAD /SPEED	LOAD RANGE	SIDEWALL	APPD RIM WIDTH (IN.)	TREAD DEPTH		INFLATED DIMENSIONS				MAX LOAD				MAX PRESSURE	
					(32NDS)	(MM)	OVERALL DIAMETER (IN.)	(MM)	OVERALL WIDTH (IN.)	(MM)	SINGLE (LBS)	(KG)	DUAL (LBS)	(KG)	(PSI)	(KPA)
175/70R14	88T	XL EXTRA LOAD	RWL	4.5-(5.0)-6.0	13.2	10.5	23.7	602	7.0	177	1235	560	-	-	50	340
175/80R14	92T	XL EXTRA LOAD	RWL	4.5-(5.0)-6.0	13.2	10.5	25.0	636	7.0	177	1389	630	-	-	50	340
27x8.50R14LT	95R	C 6PR	RWL	5.5-(7.0)	14.5	11.5	26.5	674	8.6	218	1520	690	-	-	50	350
195R15C	106/104R D 8PR		RWL	5.0-(5.5)-6.0	14.5	11.5	27.2	690	7.8	198	2095	950	-	-	65	450
205/60R15	91T	SL	RWL	5.5-(6.0)-7.5	13.2	10.5	24.7	627	8.2	209	1356	615	-	-	44	300
205/65R15	94T	SL	RWL	5.5-(6.0)-7.5	13.2	10.5	25.5	647	8.2	209	1477	670	-	-	44	300
LT205/70R15	107/103R E 10PR		RWL	5.0-(6.0)-7.0	14.5	11.5	26.3	669	8.2	209	2150	975	1930	875	80	550
LT215/75R15	100/97R C 6PR		RWL	5.5-(6.0)-7.0	14.5	11.5	27.7	703	8.5	216	1765	800	1610	730	50	350
LT225/70R15	112/110R D 8PR		RWL	6.0-(6.5)-7.5	14.5	11.5	27.4	697	9.0	228	2470	1120	2335	1060	65	450
235/60R15	98T	SL	RWL	6.5-(7.0)-8.5	13.2	10.5	26.1	663	9.4	240	1653	750	-	-	44	300
LT235/75R15	104/101R C 6PR		RWL	6.0-(6.5)-8.0	14.5	11.5	28.9	733	9.3	235	1985	900	1820	825	50	350
31x10.50R15LT	109S	C 6PR	RWL	7.0-(8.5)-9.0	16.4	13.0	30.5	775	10.6	268	2270	1030	-	-	50	350
205/60R16	92T	SL	RWL	5.5-(6.0)-7.5	13.2	10.5	25.7	652	8.2	209	1389	630	-	-	44	300
LT205/70R16	108/104R D 8PR		RWL	5.0-(6.0)-7.0	14.5	11.5	27.3	694	8.2	209	2205	1000	1985	900	65	450
215/65R16	102T	XL EXTRA LOAD	RWL	6.0-(6.5)-7.5	13.2	10.5	27.0	686	8.7	221	1874	850	-	-	50	340
LT215/70R16	106/103S D 8PR		RWL	5.5-(6.5)-7.0	14.5	11.5	27.9	708	8.7	221	2095	950	1930	875	65	450
LT225/70R16	108/105S D 8PR		RWL	6.0-(6.5)-7.5	14.5	11.5	28.4	722	9.0	228	2205	1000	2040	925	65	450
LT225/75R16	115/112R E 10PR		RWL	(6.0)-7.5	16.4	13.0	29.3	744	8.8	223	2680	1215	2470	1120	80	550
235/60R16	100T	SL	RWL	6.5-(7.0)-8.5	13.2	10.5	27.1	688	9.4	240	1764	800	-	-	44	300
LT235/70R16	110/107S D 8PR		RWL	6.0-(7.0)-8.0	14.5	11.5	29.0	736	9.4	240	2335	1060	2150	975	65	450
LT245/70R16	118/115S E 10PR		RWL	6.5-(7.0)-8.0	16.4	13.0	29.5	750	9.8	248	2910	1320	2680	1215	80	550
LT245/75R16	120/116R E 10PR		RWL	6.5-(7.0)-8.0	16.4	13.0	30.5	774	9.8	248	3042	1380	2778	1260	80	550
LT255/70R16	120/117R E 10PR		RWL	6.5-(7.5)-8.5	16.4	13.0	30.1	764	10.2	260	3085	1400	2835	1285	80	550
LT265/70R16	121/118R E 10PR		RWL	7.0-(8.0)-9.0	16.4	13.0	30.6	778	10.7	272	3195	1450	2910	1320	80	550
LT265/75R16	123/120S E 10PR		RWL	7.0-(7.5)-9.0	16.4	13.0	31.7	804	10.5	267	3415	1550	3085	1400	80	550
LT285/75R16	126/123R E 10PR		RWL	7.5-(8.0)-9.5	16.4	13.0	32.8	834	11.3	286	3750	1700	3415	1550	80	550
LT225/65R17	107/103S D 8PR		RWL	(6.5)-8.0	14.5	11.5	28.5	724	9.0	228	2150	975	1930	875	65	450
LT235/65R17	109/105S D 8PR		RWL	(7.0)-8.5	14.5	11.5	29.1	738	9.4	240	2270	1030	2040	925	65	450
LT245/65R17	117/114S E 10PR		RWL	(7.0)-8.5	16.4	13.0	29.5	750	9.8	248	2835	1285	2600	1180	80	550
LT245/70R17	119/116S E 10PR		RWL	6.5-(7.0)-8.0	16.4	13.0	30.6	776	9.8	248	3000	1360	2755	1250	80	550
LT265/65R17	120/117S E 10PR		RWL	(8.0)-9.5	16.4	13.0	30.6	776	10.7	272	3085	1400	2835	1285	80	550
LT265/70R17	123/120R E 10PR		RWL	7.0-(8.0)-9.0	16.4	13.0	31.7	804	10.7	272	3415	1550	3085	1400	80	550
LT285/70R17	126/123S E 10PR		RWL	7.5-(8.5)-9.5	16.4	13.0	32.8	832	11.5	292	3750	1700	3415	1550	80	550
LT315/70R17	126/123S E 10PR		RWL	8.0-(9.5)-10.5	16.4	13.0	34.4	874	12.7	323	3750	1700	3415	1550	65	450
235/60R18	103T	XL EXTRA LOAD	RWL	6.5-(7.0)-8.5	13.2	10.5	29.1	739	9.4	240	1929	875	-	-	50	340
LT265/60R18	119/116S E 10PR		RWL	(8.0)-9.5	16.4	13.0	30.5	775	10.7	272	3000	1360	2755	1250	80	550
LT265/65R18	122/119S E 10PR		RWL	(8.0)-9.5	16.4	13.0	31.5	801	10.7	272	3305	1500	3000	1360	80	550
LT275/65R18	123/120S E 10PR		RWL	(8.0)-9.5	16.4	13.0	32.1	815	11.0	279	3415	1550	3085	1400	80	550
LT285/60R18	122/119S E 10PR		RWL	(8.5)-10.0	16.4	13.0	31.5	799	11.5	292	3305	1500	3000	1360	80	550
LT255/55R19	115/112S E 10PR		RWL	7.5-(8.0)-9.0	16.4	13.0	30.0	763	10.4	265	2680	1215	2470	1120	80	550
LT265/50R20	115/112S E 10PR		RWL	8.0-(8.5)-9.5	16.4	13.0	30.5	774	10.9	277	2680	1215	2470	1120	80	550
LT275/55R20	120/117S E 10PR		RWL	8.0-(8.5)-9.5	16.4	13.0	31.9	810	11.2	284	3085	1400	2835	1285	80	550
LT275/60R20	123/120S E 10PR		RWL	(8.0)-9.5	16.4	13.0	33.0	838	11.0	279	3415	1550	3085	1400	80	550
LT285/50R20	119/116S E 10PR		RWL	8.5-(9.0)-10.0	16.4	13.0	31.3	794	11.7	297	3000	1360	2755	1250	80	550
LT285/45R22	117/114S D 8PR		RWL	9.0-(9.5)-10.5	14.5	11.5	32.1	815	11.2	285	2835	1285	2600	1180	65	450

ULTRA FORCE
TIRES
OFFROAD
FORGE A NEW PATH

ULTRAFORCE OFFROAD TIRES CO., LIMITED



ULTRA FORCE
TIRES
OFFROAD
FORGE A NEW PATH

ULTRAFORCE

TERRA TAMER RT-X



UNWAVERING PROWESS!

TERRA TAMER RT-X

ON-AND OFF-ROAD EXTREME RUGGED TERRAIN HYBRID M/T TIRE

Built to tackle the most challenging terrain with unwavering prowess, the Terra Tamer RT-X is a pioneering rugged terrain tire blends the best elements from mud-terrain and all-terrain combining with extreme off-road traction and perfect on-road quiet ride performance. Whether you're a weekend warrior or a seasoned off-road enthusiast, the Terra Tamer RT-X can be your ultimate choice for adventure which can take you adventure into deep mud, snow, rocky terrains, loose dirt and harsh uneven terrains with superior traction, stability and durability without the noise of a mud terrain tire when driving on pavement. The tire will always be ready to take you wherever the road leads, whether it's on or off the beaten path. **It is the true all rounder.**



Three-Peak Mountain Snowflake qualified for snow conditions

M+S R117 ECE
CCC GCC SASO

DESIGNED FOR STYLISH AND FUNCTIONALITY

- With its bold, rugged design and aggressive sidewall styling, the tire not only performs like a champion but also looks the part. Its distinctive appearance adds a touch of style to any vehicle, while its functional design enhances performance and off-road capabilities.

AGGRESSIVE HYBRID TREAD DESIGN FOR MAXIMUM TRACTION

- Features an aggressive tread pattern with deep, wide grooves and rugged shoulder blocks, not only provides maximum traction and grip but also enhances self-cleaning capabilities, preventing mud and debris buildup for consistent performance in the toughest conditions.
- The varying shoulder design improves traction in any conditions.
- Unique centre connected step-down tire bar supports on the center blocks enhance off-road traction on various road.
- Multiply stone ejectors efficient prevention of stone retention improve performance in mud, sand and gravel.

MORE WIDER TREAD AND MORE SQUARED SHOULDER DESIGN

- The more wider tread and more squared shoulder increases enough road contact area greatly improved handling stability while also evenly distributing ground pressure to promote even wear for longer tread life.

SIDEWALL PROTECTOR ENHANCE OFF-ROAD DURABILITY

- Thickened and aggressive sidewall design which Looks Like a triangular dart can prevent all impacts and punctures, as well as offer extra traction in off-road applications.
- 3-PLY sidewall construction designed on most of sizes provides more strength and impact protect.

ALL-WEATHER PERFORMANCE

- Advanced tread compound have good support on improving traction in dry, wet, and winter road conditions.
- Wide and deep grooves effectively funnel mud, water, and snow for improved safety.
- High abrasion resistance block sipes improve grip on snow and ice.
- Three-Peak Mountain Snowflake qualified for snow conditions

SIZE	LOAD /SPEED	LOAD RANGE	SIDEWALL	APPD RIM WIDTH (IN.)	TREAD DEPTH		INFLATED DIMENSIONS				MAX LOAD				MAX PRESSURE	
							OVERALL DIAMETER		OVERALL WIDTH		SINGLE		DUAL			
							(32NDS)	(MM)	(IN.)	(MM)	(IN.)	(KG)	(LBS)	(KG)		
27x8.50R14LT	95Q	C 6PR	RWL	5.5-(7.0)	14.5	11.5	26.5	674	8.6	218	1520	690	-	-	50	350
LT205/70R15	107/103Q	E 10PR	RWL	5.0-(6.0)-7.0	14.5	11.5	26.3	669	8.2	209	2150	975	1930	875	80	550
LT215/75R15	100/97Q	C 6PR	RWL	5.5-(6.0)-7.0	14.5	11.5	27.7	703	8.5	216	1765	800	1610	730	50	350
LT235/75R15	104/101Q	C 6PR	RWL	6.0-(6.5)-8.0	14.5	11.5	28.9	733	9.3	235	1985	900	1820	825	50	350
31x10.50R15LT	109Q	C 6PR	RWL	7.0-(8.5)-9.0	16.4	13.0	30.5	775	10.6	268	2270	1030	-	-	50	350
32x11.50R15LT	113Q	C 6PR	RWL	7.5-(9.0)-10.0	18.0	14.3	31.5	801	11.4	290	2535	1150	-	-	50	350
33x12.50R15LT	108Q	C 6PR	RWL	8.0-(10.0)-10.5	18.0	14.3	32.5	826	12.5	318	2205	1000	-	-	35	250
35x12.50R15LT	113Q	C 6PR	RWL	8.0-(10.0)-10.5	18.0	14.3	34.5	877	12.5	318	2535	1150	-	-	35	250
LT225/70R16	108/105Q	D 8PR	RWL	6.0-(6.5)-7.5	14.5	11.5	28.4	722	9.0	228	2205	1000	2040	925	65	450
LT235/70R16	110/107Q	D 8PR	RWL	6.0-(7.0)-8.0	14.5	11.5	29.0	736	9.4	240	2335	1060	2150	975	65	450
LT235/85R16	120/116Q	E 10PR	RWL	6.0-(6.5)-7.5	16.4	13.0	31.7	806	9.3	235	3042	1380	2778	1260	80	550
LT245/70R16	118/115Q	E 10PR	RWL	6.5-(7.0)-8.0	16.4	13.0	29.5	750	9.8	248	2910	1320	2680	1215	80	550
LT245/75R16	120/116Q	E 10PR	RWL	6.5-(7.0)-8.0	16.4	13.0	30.5	774	9.8	248	3042	1380	2778	1260	80	550
LT255/70R16	120/117Q	E 10PR	RWL	6.5-(7.5)-8.5	16.4	13.0	30.1	764	10.2	260	3085	1400	2835	1285	80	550
LT265/70R16	121/118Q	E 10PR	RWL	7.0-(8.0)-9.0	16.4	13.0	30.6	778	10.7	272	3195	1450	2910	1320	80	550
LT265/75R16	123/120Q	E 10PR	RWL	7.0-(7.5)-9.0	16.4	13.0	31.7	804	10.5	267	3415	1550	3085	1400	80	550
LT285/75R16	126/123Q	E 10PR	RWL	7.5-(8.0)-9.5	16.4	13.0	32.8	834	11.3	286	3750	1700	3415	1550	80	550
LT315/75R16	127/124Q	E 10PR	RWL	8.0-(8.5)-10.5	18.0	14.3	34.6	878	12.3	313	3860	1750	3525	1600	65	450
LT265/65R17	120/117Q	E 10PR	RWL	(8.0)-9.5	16.4	13.0	30.6	776	10.7	272	3085	1400	2835	1285	80	550
LT265/70R17	123/120Q	E 10PR	RWL	7.0-(8.0)-9.0	16.4	13.0	31.7	804	10.7	272	3415	1550	3085	1400	80	550
LT285/70R17	126/123Q	E 10PR	RWL	7.5-(8.5)-9.5	16.4	13.0	32.8	832	11.5	292	3750	1700	3415	1550	80	550
35x12.50R17LT	128Q	F 12PR	RWL	8.0-(10.0)-10.5	19.0	15.1	34.5	877	12.5	318	3970	1800	-	-	80	550
37x12.50R17LT	128Q	F 12PR	RWL	8.0-(10.0)-10.5	19.0	15.1	36.5	928	12.5	318	3970	1800	-	-	80	550
37x13.50R17LT	131Q	F 12PR	RWL	9.0-(11.0)-11.5	19.0	15.1	36.5	928	13.6	345	4300	1950	-	-	80	550
LT265/60R18	119/116Q	E 10PR	RWL	(8.0)-9.5	16.4	13.0	30.5	775	10.7	272	3000	1360	2755	1250	80	550
LT265/65R18	122/119Q	E 10PR	RWL	(8.0)-9.5	16.4	13.0	31.5	801	10.7	272	3305	1500	3000	1360	80	550
LT275/70R18	125/122Q	E 10PR	RWL	7.0-(8.0)-9.0	18.0	14.3	33.2	843	11.0	279	3640	1650	3305	1500	80	550
LT285/60R18	122/119Q	E 10PR	RWL	(8.5)-10.0	16.4	13.0	31.5	799	11.5	292	3305	1500	3000	1360	80	550
LT285/65R18	125/122Q	E 10PR	RWL	(8.5)-10.0	16.4	13.0	32.6	827	11.5	292	3640	1650	3305	1500	80	550
35x12.50R18LT	128Q	F 12PR	RWL	8.5-(10.0)-11.0	19.0	15.1	34.5	877	12.5	318	3970	1800	-	-	80	550
LT265/50R20	115/112Q	E 10PR	RWL	8.0-(8.5)-9.5	16.4	13.0	30.5	774	10.9	277	2680	1215	2470	1120	80	550
LT275/55R20	120/117Q	E 10PR	RWL	8.0-(8.5)-9.5	16.4	13.0	31.9	810	11.2	284	3085	1400	2835	1285	80	550
LT275/60R20	123/120Q	E 10PR	RWL	(8.0)-9.5	16.4	13.0	33.0	838	11.0	279	3415	1550	3085	1400	80	550
LT285/50R20	119/116Q	E 10PR	RWL	8.5-(9.0)-10.0	16.4	13.0	31.3	794	11.7	297	3000	1360	2755	1250	80	550
LT305/55R20	125/122Q	F 12PR	RWL	9.0-(9.5)-11.0	18.0	14.3	33.2	844	12.4	316	3640	1650	3305	1500	80	550
33x12.50R20LT	119Q	F 12PR	RWL	8.5-(10.0)-11.0	18.0	14.3	32.5	826	12.5	318	3000	1360	-	-	80	550
35x12.50R20LT	125Q	F 12PR	RWL	8.5-(10.0)-11.0	18.0	14.3	34.5	877	12.5	318	3640	1650	-	-	80	550
33x12.50R22LT	114Q	F 12PR	RWL	10.0-(10.5)-12.0	18.0	14.3	32.5	826	12.4	316	2600	1180	-	-	80	550

ULTRAFORCE

ZELLERON SPORT



UNI-DIRECTIONAL PCR



HANDLING



GRIP



SPEEDING



SAFE

ZELLERON SPORT

The ZELLERON SPORT is a new generation tire made for passenger car, who is an incredibly innovative design with a highly avant-garde style. It offers exceptional traction, easy handling, and outstanding wet braking performance, ensuring your vehicle safely reaches your destination. It provides super stability while driving and instills confidence during cornering.

FEATURES & BENEFITS

- Wing-shaped layout for enhanced traction.
- Excellent traction for easy handling at high speeds.
- Directional tread pattern design for a perfect grip on dry or wet surfaces.
- Larger contact area, guaranteeing safe driving.
- Well-placed drainage grooves for superior drainage performance.
- The surface wing and grooves design reduce noise and aid in braking.
- Noise reduction: Sound-absorbing bolt and microgroove to reduce noise in tread.



STAGE 1 37SIZES

SIZES	LI./S.I.	L.R	PATTERN
175/70R13	82T	SL	ZELLERON SPORT
185/70R13	86T	SL	ZELLERON SPORT
175/65R14	82H	SL	ZELLERON SPORT
185/60R14	82H	SL	ZELLERON SPORT
185/65R14	86H	SL	ZELLERON SPORT
185/70R14	88T	SL	ZELLERON SPORT
185/55R15	82V	SL	ZELLERON SPORT
185/60R15	84H	SL	ZELLERON SPORT
185/65R15	88H	SL	ZELLERON SPORT
195/50R15	82V	SL	ZELLERON SPORT
195/55R15	85V	SL	ZELLERON SPORT
195/60R15	88V	SL	ZELLERON SPORT
195/65R15	91V	SL	ZELLERON SPORT
205/50R15	86V	SL	ZELLERON SPORT
205/60R15	91V	SL	ZELLERON SPORT
205/65R15	94H	SL	ZELLERON SPORT
195/50R16	84V	SL	ZELLERON SPORT
195/55R16	87H	SL	ZELLERON SPORT
205/55R16	94V	XL	ZELLERON SPORT
205/60R16	92V	SL	ZELLERON SPORT
215/55ZR16	97W	XL	ZELLERON SPORT
215/60R16	95V	SL	ZELLERON SPORT
205/45ZR17	88W	XL	ZELLERON SPORT
205/50ZR17	93W	XL	ZELLERON SPORT
215/45ZR17	91W	XL	ZELLERON SPORT
215/50ZR17	95W	XL	ZELLERON SPORT
215/55ZR17	98W	XL	ZELLERON SPORT
225/45ZR17	94W	XL	ZELLERON SPORT
225/50ZR17	98W	XL	ZELLERON SPORT
225/55ZR17	101W	XL	ZELLERON SPORT
235/55ZR17	103W	XL	ZELLERON SPORT
225/40ZR18	92W	XL	ZELLERON SPORT
225/45ZR18	95W	XL	ZELLERON SPORT
235/40ZR18	95W	XL	ZELLERON SPORT
235/45ZR18	98W	XL	ZELLERON SPORT
245/45ZR18	100W	XL	ZELLERON SPORT
245/45ZR19	102W	XL	ZELLERON SPORT



GALLERY



OFFROAD TIRES



ULTRAFORCE OFFROAD TIRES CO., LIMITED
Qingdao Branch, China | jazz@ultraforcetires.com | www.ultraforcetires.com